

POWERTANK®

THE NEW GENERATION OF AIR SYSTEMS

IS THAT NEW? P. 1

JUST THE FACTS, MA'AM P. 2

SUPERFLOW HP250 COMP SERIES P. 3

SUPERFLOW XP400 PRO SERIES P. 4

BRACKETS GALDRE P. 5

CLAMPS AND BAGS P. 6

TIRE INFLATORS P. 7

MONSTER VALVES P. 8

POWER TANKS P. 9

ARB ACCESSORIES P. 11

FITTINGS / COUPLERS P. 12

N2 = NITROGEN P. 13

REGULATOR KITS P. 14

MORE COOL SCHTUFF P. 14

SPEC CHARTS P. 15

GOT QUESTIONS? P. 16

MASTER BLASTER P. 17

SIDEARM SERIES P. 18

RV SERIES P. 19

TOWMAN SERIES P. 20

CONSTRUCTION SERIES P. 21

REFILL EQUIPMENT P. 22

Off Road // Construction // RV // Auto Racing // Street Rod // Towman

NEW

COMP SERIES

IMPROVED PERFORMANCE AND 100% REBUILDABLE



SUPERFLOW HP250i REGULATOR
PAGE.3, 14

NEW

PRO SERIES

NEW GAUGES, HIGHER PRESSURE, REBUILDABLE



SUPERFLOW XP400i REGULATOR
PAGE.4, 14

NEW

MASTER BLASTER



THE SPARE TIRE KIT IN A BAG
#PTM-0125 - PAGE.17

NEW

RUN HIGH PRESSURE (200+ PSI) TO YOUR ARBS



JET PAK 3 w/ ADJUSTABLE PRESSURE
#ARB-2055 - PAGE.11



POWER TANK IS THE ORIGINAL CO2 AIR SYSTEM AND HAS BEEN SETTING THE STANDARD FOR ALL HIGH PERFORMANCE AIR SYSTEMS USED TO INFLATE TIRES, RUN AIR TOOLS, AND FOR OTHER USES SINCE 1997. OUR PASSION FOR NEW TECHNOLOGY TO IMPROVE THE PERFORMANCE OF OUR PRODUCTS IS WHAT MAKES POWER TANK THE #1 BRAND IN HIGH PERFORMANCE AIR. POWER TANK PRODUCTS GUARANTEE YOU THE BEST IN PERFORMANCE, THE BEST IN QUALITY, AND THE BEST IN DESIGN.

AND WHEN YOU BUY A POWER TANK YOU WILL NEVER HAVE TO BUY ANOTHER AIR SYSTEM. ALL OF OUR POWER TANK REGULATORS COME WITH A LIMITED LIFETIME WARRANTY, THE BEST WARRANTY IN THE BUSINESS. AND WITH OUR UPGRADE PROGRAM, YOU WILL ALWAYS HAVE THE OPTION TO TRADE-IN YOUR OLD POWER TANK REGULATOR TOWARDS THE PURCHASE OF A NEWER MODEL.

IN THIS CATALOG YOU'LL SEE OUR NEWEST PRODUCTS INCLUDING OUR NEW SUPERFLOW HP250i ADJUSTABLE REGULATOR NOW ON ITS 11TH DESIGN REVISION (P. 3). AND, OF COURSE, FOR MAXIMUM PERFORMANCE AND SHOCK FILLING CAPABILITY CHECK OUT OUR UPDATED SUPERFLOW XP400i REGULATOR (P. 4).

ONE OF THE KEYS TO POWER TANK'S SUCCESS IS OUR INVOLVEMENT IN THE SPORT OF AUTO RACING. THE N2 SHOCK FILLER KIT (P.12), THE LOVELL TRANSFER CASE AIR SYSTEM (P.12), AND THE NEW ARB JET PAK AIR KIT (P.13) ARE JUST SOME OF THE COMPETITION INSPIRED PRODUCTS THAT YOU'LL FIND IN THIS CATALOG. FOR THE ULTIMATE IN POWER TANK PORTABILITY AT THE RACE COURSE, IN THE PITS OR IN THE SHOP, CHECKOUT THE NEW SIDEARM KITS (P.18).



NEW

COMPACT SIZE!



BEST TIRE REPAIR KIT!
#KIT-8133 - PAGE.7

NEW

Now 400 PSI.



SHOCK FILLER KIT w/ HARD CASE
#NIT-0400 - PAGE.13

NEW

ROLL BAR READY!



PACKAGE C READY TO WORK!
PT10-5260 - PAGE.10

NEW

HIGH CONTRAST DISPLAY



DIGITAL TIRE INFLATORS
PAGE.8



COMP SERIES

PRO SERIES

NEW SUPERFLOW HP250i REGULATOR (250PSI, 45 CFM)

IMPROVED FLOW,
PRESSURE, &
100% REBUILDABLE!

THE DAY IT CAME OUT IN 1997, THE POWER TANK WAS THE FASTEST TIRE INFLATION SYSTEM ON THE MARKET. OVER A DECADE LATER, THE POWER TANK IS STILL THE FASTEST GAME IN TOWN. THIS NEW SUPERFLOW HP250i IS THE RESULT OF YEARS OF IMPROVEMENTS AND THE LATEST IN REGULATOR TECHNOLOGY AND IS NOW FULLY REBUILDABLE USING STANDARD TOOLS. WITH IMPROVED FLOW RATE, SAFETY, AND RELIABILITY, THIS REGULATOR IS DESIGNED TO GIVE YOU ALL THE AIR PERFORMANCE YOU'LL EVER WANT TO INFLATE TIRES, RESEAT TIRES AND RUN AIR TOOLS.



FEATURES	BENEFITS
INTERNAL SAFETY VALVE	A SAFETY PRESSURE RELEASE
FINNED ALUM. BODY	B IMPROVED PERFORMANCE.
NEW SET SCREWS IN KNOB	C ACCESS TO INTERNAL GUTS
DUST SEAL	D KEEPS DIRT, SAND OUT.
NEW DRY SMART GAUGES	E ACCURATE, EASIER TO READ
AIR LOCK AUTO COUPLER	F LEAK-FREE, QUICK, EASY
HIGH FLOW PORTS	G FASTER TIRE INFLATIONS
NEW XFLO COUPLER (OPTIONAL)	H HIGH FLOW, GOOD FOR AIR TOOLS

SUPERFLOW™
REGULATORS
NEVER
FREEZE-CLOG -
GUARANTEED!

XFLO COUPLER
UPGRADE (#UPG-8038)




NEW
IMPROVED
FLOW,
PRESSURE, &
TEMPERATURE
RATING!



SUPERFLOW™
REGULATORS
NEVER
FREEZE-CLOG -
GUARANTEED!

CONNECT TO N2 TANK WITH
N2 ADAPTER (#NIT-0002)



SUPERFLOW XP400i REGULATOR (400PSI, 48 CFM)

WITH THE SUPERFLOW XP400i REGULATOR, POWER TANK HAS PUSHED THE LIMITS OF REGULATOR TECHNOLOGY AND PERFORMANCE. NOT ONLY DOES THIS REGULATOR BEAT ALL OTHERS IN TIRE INFLATION SPEED, BUT IT ALSO IS THE FIRST DUAL GAS REGULATOR THAT CAN BE USED TO INFLATE NITROGEN SHOCKS. TO OBTAIN MAXIMUM PERFORMANCE FROM YOUR POWER TANK GET IT WITH THIS XP400i REGULATOR. AVAILABLE AS AN UPGRADE (#UPG-6051) OR IN A KIT (#REG-7001, PAGE 14). ALSO AVAILABLE IN NITROGEN SHOCK FILL KITS, PAGE 13.



FEATURES	BENEFITS
HIGH PERF. SPRING	A HIGH PRESSURE OUTPUT
FINNED ALUM. BODY	B FASTER HEAT TRANSFER
KNURLED ALUM. KNOB	C ADD'L. HEAT TRANSFER, GRIP
DUST SEAL	D KEEPS DIRT, SAND OUT
NEW LIQ. SMART GAUGES	E ACCURATE, BAJA TOUGH
400 PSI OUTPUT	F SHOCK FILLING
HIGH FLOW PORTS	G QUICK TIRE RESEATING
XFLO COUPLER (STANDARD)	H BETTER AIR TOOL PERFORMANCE

INDUSTRY LEADING LIMITED LIFETIME WARRANTY



MOUNTING BRACKETS

WE DESIGN AND MANUFACTURE ALL OF OUR BRACKETS, CLAMPS, AND SPEED BAGS. THEY ARE DESIGNED TO BE STRONG, LIGHTWEIGHT AND FUNCTIONAL

SUPER BRACKETS

#BKT-2256
FITS 1.25LB.
(20 OZ.)
COMP SERIES*
(3.2")

#BKT-2275
FITS 72CU.
IN. N2
(4.3")
LOCKABLE Q/R
LATCH

#BKT-2257
FITS 2.5LB.
(4.4")
LOCKABLE Q/R LATCH

#BKT-2258
FITS 5LB.
(5.2")
LOCKABLE
Q/R LATCH

#BKT-2260
FITS
10, 15LB.
(6.9")
(ALSO AVAILABLE
IN BLK. FINISH
#BKT-2260BK)
LOCKABLE Q/R
LATCH

#BKT-2261
FITS 10, 15LB.
COMP SERIES*
(6.9")
(ALSO AVAILABLE
IN BLK. FINISH
#BKT-2261BK)

#BKT-2273
FITS 20LB, 35
AND 50LB.
COMP SERIES*
(8.0")

#BKT-2274
FITS 20, 35,
50LB.
(8.0")
LOCKABLE Q/R LATCH



TANK SIZES:
A. = 1.25 LB.
B. = 2.5 LB.
C. = 5 LB.
D. = 10 LB.
E. = 15 LB.
F. = 20 LB.

POWER BRACKETS

POWER BRACKETS FEATURE A BASE WHICH ADDS MOUNTING OPTIONS.

#BKT-2282
FITS 10, 15LB.
LOCKABLE Q/R LATCH

#BKT-2282-BK
FITS 10, 15LB.
(6.9")
LOCKABLE Q/R LATCH

#BKT-2292
FITS 10, 15LB.
COMP SERIES*
(6.9")


#BKT-2292-BK
FITS 10, 15LB.
COMP SERIES*
(6.9")

*ALL COMP SERIES BRACKETS FEATURE FULL-SURROUND DINC H STRAPS FOR MAXIMUM HOLDING POWER.

FLOOR BRACKET

IF YOUR POWER TANK GETS MOVED AROUND A LOT LIKE AT THE RACE TRACK OR ON THE JOBSITE AND YOU WORRY ABOUT IT TIPPING OVER THEN YOU NEED THE FLOOR BRACKET. ITS RUBBER FEET AND LOW C.G. PROVIDE STABILITY AND THE 30° ANGLE KEEPS THE CO2 VAPOR AT THE VALVE. FOR MOBILE SECURITY LATCH YOUR FLOOR BRACKET INTO THE BASE MOUNT THAT GETS BOLTED DOWN INSIDE YOUR TRUCK OR TRAILER.

- #BKT-2300 FLOOR BRACKET
- #BKT-2310 BASE MOUNT (OPTIONAL)
- #BKT-2311 FLOOR BRACKET + BASE



BRACKET REMOVES FROM BASE & FEATURES A QUICK LATCH AND LOCK RING.

NEW



#BKT-2285
FITS 5LB. PROPANE
(8.0") Q/R LATCH

ROLL BAR CLAMPS & SPEED BAGS

THE EASIEST WAY TO SECURE A POWER TANK BRACKET TO YOUR ROLL BAR IS WITH OUR ROLL BAR CLAMPS. THEY COME IN BLACK OR RED WITH STAINLESS BOLTS AND FIT ALL OF OUR MOUNTING BRACKETS EXCEPT THE #BKT-2256.



STD. FITS 1.5", 1.75", 2.0"
#ABC-2350 RED SINGLE
#ABC-2360 RED PAIR
#ABC-2450 BLK SINGLE
#ABC-2460 BLK PAIR

LARGE FITS 2.25",
2.37", 2.5"
#ABC-2355 RED SINGLE
#ABC-2365 RED PAIR
#ABC-2455 BLK SINGLE
#ABC-2465 BLK PAIR

LARGE FITS ALL JEEP WRANGLER ROLLBAR WITH & WITHOUT PADDING.



SPEED BAGS

FOR PORTABILITY, TANK PROTECTION, AND SELF CONTAINMENT, THE SPEED BAG IS THE ANSWER. HANDLES, SHOULDER STRAPS, POCKETS, ZIPPERS AND PADDING ALL GO INTO THE DESIGN OF THIS STORAGE/CARRYING/PROTECTION SYSTEM. WHEN BRACKET MOUNTING IS NOT AN OPTION.



#CSE-6030
FITS 5LB.



#CSE-6060
FITS 10LB.



#CSE-6070
FITS 15LB. AND 20LB.



HD TIRE INFLATORS


NO MATTER WHAT KIND OF TIRE YOU'RE INFLATING YOU WILL NOT FIND A BETTER TIRE INFLATOR THAN THE ONES RIGHT HERE. WE BUILD TIRE INFLATORS TO FIT EVERY NEED. LIFETIME WARRANTY.



NEW LIQUID FILLED GAUGES



FOR ACCURACY AND LONGER LIFE.



7



BEST SELLER!



#TIG-8160*
160 PSI



#KIT-8133
POWERTANK CEO, STEVE, HAS DONE EVERY KIND OF OFF-ROAD REPAIR IMAGINABLE. THIS IS HIS TIRE REPAIR KIT.



#TIG-8166
160 PSI



#TIG-8170
160 PSI

NEW!



#TIG-8176*
160 PSI



#TIG-8180
160 PSI

TIRE PRESSURE GAUGES W/ BLEED BUTTONS, EURO CLIP-ON CHUCKS



#TIG-8200
60 PSI



#TIG-8210
60 PSI



#TPG-8060
60 PSI



#TPG-8160
160 PSI

ALL INFLATORS FEATURE A LIFETIME WARRANTY AGAINST MFG DEFECTS. FULLY REBUILDABLE, PARTS ONLINE

*RECOMMENDED FOR HIGH PRESSURE RV & TRUCK TIRES (80+ PSI). 6' HOSE ALLOWS USER TO STAND A SAFE DISTANCE FROM TIRE DURING INFLATION.

NEW! DIGITAL INFLATORS & MORE



0-255 PSI
(0-18 BAR)
DROP TESTED FOR DURABILITY,
CHECKED FOR ACCURACY,
BACKLIT DISPLAY



#TIG-8320

TIRE PRESSURE GAUGE W/ BLEED BUTTONS, EURO CLIP-ON CHUCKS



#TPG-8255
255 PSI



#TIG-8300




#TIG-8310

ALL INFLATORS FEATURE A LIFETIME WARRANTY AGAINST MFG DEFECTS. FULLY REBUILDABLE, PARTS ONLINE





#TIG-8330*

INFLATE & DEFLATE BOTH REAR TIRES TOGETHER FOR STRAIGHT LAUNCHES



DUAL TIRE INFLATOR
#DIG-8255*

MONSTER VALVES



#MON-8200

#MON-8130
ORDER #MON-8131 IF YOU WANT (5) VALVES

YOU WON'T FIND A FASTER METHOD OF DEFLATING YOUR TIRES THAN WITH A SET OF MONSTER VALVES AND THEY'LL ACTUALLY DOUBLE YOUR TIRE INFLATION SPEED TOO! EASY TO INSTALL. 1.1 OZ. EACH. 1/4 NPT TAP REQUIRED FOR INSTALL #TAP-1400

ANATOMY OF A MONSTER VALVE



7018 ALUM. BODY



HOW TO ORDER YOUR PT SYSTEM

CONSULT OUR CHARTS ON PAGE 15 TO HELP CHOOSE THE RIGHT SYSTEM TO FIT YOUR NEEDS.

1 CHOOSE YOUR TANK SIZE.



PT5 PT10 PT15 PT20

2 CHOOSE YOUR TANK COLOR.



9

	CLEAR ALUM. (AL)	TRANS. BLACK (BK)	TEAM YELLOW (YL)	POLAR WHITE (WT)	CANDY BLUE (CB)
PT5			X		
PT10	X	X	X	X	X
PT15	X	X	X		
PT20			X		

X = AVAILABLE

3

CHOOSE A BRACKET PACKAGE. (AVAILABLE IN 5, 10, 15, 20 LB.) OR CHOOSE A TRACK PACK PACKAGE (AVAILABLE IN 10, 15, AND 20 LB. ONLY)

PACKAGE A



PKG. A
PT05-5140-YL
PT10-5240-(AL, BK, YL, WT, CB)
PT15-5340-(AL, BK, YL)
PT20-5440-YL

INCLUDES:

- SUPERFLOW HP250i REGULATOR
- LT. WEIGHT ALUMINUM CO2 TANK W/ SHERWOOD NICKEL VALVE
- TANK BOOT
- REGULATOR COVER
- POWER GRIP GUARD
- SUPER BRACKET
- SUPERFLEX 25' HOSE
- AIR LOCK COUPLER
- BALL AIR CHUCK

OR



PKG. A
TP10-5240-(AL, BK, YL, WT, CB)
TP15-5340-(AL, BK, YL)
TP20-5440-YL

THE TRACK PACK IS DESIGNED AROUND THE "SPEED BAG" AND IS A GREAT WAY TO TRANSPORT AND PROTECT YOUR POWER TANK. THE NAME "TRACK PACK" CAME FROM AUTO RACING WHERE POWER TANKS ARE CARRIED AROUND THE TRACK. THE VERSATILE SPEED BAG IS ALSO USEFUL FOR RVERS, OFF ROADERS, SERVICE TECHS, CARPENTRY, AND MOBILE MECHANICS. ➡

PACKAGE B



SHOWN w/ XFLO UPGRADE

OR



SHOWN w/ XFLO UPGRADE

PKG. B
PT05-5150-YL
PT10-5250-(AL, BK, YL, WT, CB)
PT15-5350-(AL, BK, YL)
PT20-5450-YL

INCLUDES:

- SUPERFLOW HP250i REGULATOR
- LT. WEIGHT ALUMINUM CO2 TANK W/ SHERWOOD NICKEL VALVE
- TANK BOOT REGULATOR COVER
- POWER GRIP GUARD
- SUPER BRACKET
- SUPERFLEX 25' HOSE
- SUPER COUPLER
- TIG-8200 INFLATOR

OR



SHOWN w/ XFLO UPGRADE

PKG. B
TP10-5250-(AL, BK, YL, WT, CB)
TP15-5350-(AL, BK, YL)
TP20-5450-YL

IT IS WELL PADDED WITH AN EXTRA LAYER OF BALLISTIC CLOTH AT THE BASE. TWO LARGE POCKETS STORE THE HOSE AND TOOLS. A SHOULDER STRAP AT THE TOP AND A HANDLE ON THE SIDE MAKE FOR EASY CARRYING. TRACK PACKS ARE AVAILABLE IN PT10, PT15, AND PT20 SIZES.

PACKAGE C



SHOWN w/ XFLO UPGRADE

OR

PKG. C
PT05-5160-YL
PT10-5260-(AL, BK, YL, WT, CB)
PT15-5360-(AL, BK, YL)
PT20-5460-YL

INCLUDES:

- SUPERFLOW HP250i REGULATOR
- LT. WEIGHT ALUMINUM CO2 TANK W/ SHERWOOD NICKEL VALVE
- TANK BOOT
- REGULATOR COVER
- POWER GRIP GUARD
- SUPER BRACKET
- ROLL BAR CLAMP SET
- SUPERFLEX 25' HOSE
- SUPER COUPLER
- LIQUID GA TIRE INFLATOR
- TIRE PLUG KIT (#KIT-8133)

PKG. C
TP10-5260-(AL, BK, YL, WT, CB)
TP15-5360-(AL, BK, YL)
TP20-5460-YL




6

SEE YOUR POWER TANK DEALER TO PLACE YOUR ORDER!

4

CHOOSE YOUR OPTIONS.



- A. XP400i REG. UPGRADE (#UPG-6051)
- B. X-FLO UPGRADE (#UPG-XFLO)
- C. UPGRADE TO POWER BRACKET (#UPG-2282)
- D. SWAP COILED FOR STRAIGHT 30' HOSE (#UPG-ST30)

10

5

AND DON'T FORGET TO CHOOSE YOUR ACCESSORIES.



ARB ACCESSORIES

THE JET PAK IS SMALL, QUIET, AND EASY TO INSTALL. YOU CAN USE IT WITH YOUR ARB ELECTRIC SWITCHES OR FULLY PNEUMATIC WITH OUR PNEUMATIC TOGGLE SWITCHES. EACH BOTTLE CAN PROVIDE 1000 - 2000 ACTUATIONS.

- JET PAK 2 PACKAGE**
- 20 OZ. CO2 BOTTLES (2)
 - SIDEARM COMP REGULATOR (REG-4012C), 0-160 PSI
 - ALUMINUM BRACKET
 - SAFETY RELEASE VALVE
 - NYLON BOTTLE BAG
 - FITTINGS

#ARB-2050




IF YOU WANT TO RUN ARB LOCKERS AND ELEC. SWITCHES FROM A POWER TANK OR OTHER AIR SUPPLY YOU NEED THIS KIT. ARB SOLENOID VALVES SCREW INTO BRITISH THREAD PORTS IN THIS MANIFOLD. ALL NECESSARY HARDWARE AND INSTRUCTIONS ARE INCLD'D. MAKES INSTALL SAFE AND EASY.



ARB MANIFOLD INSTALL KIT, COMPLETE
#ARB-2010

OUR QUALITY AIR TOGGLE SWITCHES COME COMPLETE WITH PUSH-IN FITTINGS FOR YOUR ARB 5MM OD BLUE AIR LINE FOR A VERY QUICK AND EASY INSTALL. FITTINGS ARE RE-USEABLE.



PNEUMATIC TOGGLE KIT
SINGLE AXLE - #ARB-2060
DUAL AXLE - #ARB-2070

TO RUN YOUR ARB'S OFF OF YOUR POWER TANK SAFELY WITH OUR AIR TOGGLE SWITCHES YOU NEED THIS PRESSURE RELEASE VALVE ASSEMBLY.



PRESSURE RELEASE VALVE ASSEMBLY
#ARB-0120

NO MATTER HOW YOU SET UP YOUR ARB AIR LINES YOU MUST INSTALL AN IN-LINE SAFETY PRESSURE RELEASE VALVE. IN CASE OF PRESSURE SURGE THIS WILL SAVE YOUR ARB.



ARB PRESSURE RELEASE VALVE, 150 PSI
#VLV-5150
#VLV-5300 (300PSI)

- JET PAK 3 COMPETITION**
- FEATURING HIGH PRESSURE REGULATOR (REG-4012P) FOR NEW 200+ PSI APPLICATIONS
 - ALLEVIATES CRASH LOCKING

#ARB-2055



SIDEARM COMP
0-160 PSI
#REG-4012C



SIDEARM PRO
0-400 PSI
#REG-4012P



A.



B.

- A. RICK DEREMO, PRO ROCK RADER, RACES WITH JET PAK 3 TO VICTORY.
- B. THE FR. WHEEL WELL IS A GOOD LOCATION FOR THIS ARB MANIFOLD KIT. IT'S EASY TO SEE, EASY TO REACH, AND ANY GEAR OIL MIST IS KEPT OUTSIDE OF THE CAB. THE STEEL BRAIDED AIR LINES ARE TUCKED FAR AWAY FROM THE TIRE AND THE GAUGE IS EASY TO SEE. ARB BLUE LINE WORKS JUST AS WELL.


ACCESSORIES-FITTINGS

FITTINGS - 1/8 NPT



- A** FIT-9020 1/8 FPT x 1/8 FPT 90° Elbow
B FIT-9021 1/8 FPT x 1/8 FPT x 1/8 FPT Tee
C FIT-9022 1/8 FPT x 1/8 MPT 90° Elbow
D FIT-9023 1/8 MPT Plug
E FIT-9024 1/8 MPT x 1/4 MPT Adapter
F FIT-9025 1/8 MPT x 1/8 FPT x 1/8 FPT Street Tee
G FIT-9026 1/8 FPT x 1/8 MPT x 1/8 FPT Tee
H FIT-9027 1/8 FPT x 1/8 FPT coupler
I FIT-9028 1/8 FPT x 1/4 MPT adapter
J FIT-9029 1/8 MPT x 1/4 FPT adapter
JJ FIT-9030 1/8 FPT x 1/4 FPT adapter

1/4 NPT



- K** FIT-9010 1/4 MPT x 1/4 FPT Swivel Elbow
L FIT-9011 1/4 FPT x 1/4 MPT x 1/4 FPT Tee
M FIT-9013 1/4 FPT x 1/4 FPT x 1/4 FPT Tee
N FIT-9014 1/4 MPT x 1/4 FPT x 1/4 FPT Street Tee
O FIT-9015 1/4 MPT x 1/4 FPT 45° Elbow
P FIT-9016 1/4 MPT x 1/4 FPT 90° Elbow
Q FIT-9017 1/4 MPT x 1/4 MPT Nipple
QQ FIT-9012 1/4 FPT x 1/4 FPT Coupler
R FIT-9018 1/4 MPT Plug

COMPRESSION



- S** FIT-9000 5mm x 5mm x 1/8 MPT Street T
T FIT-9001 5mm x 1/8 MPT Elbow 90
U FIT-9003 5mm x 5mm coupler/splicer
V FIT-9004 5mm x 1/8 MPT Straight
W FIT-9005 5mm x 5mm Bulkhead coupler
X FIT-9019 3/8 Hose push-in x 1/4 FPT, bulkhead
Y FIT-9031 3/8 Hose push-in (both ends), bulkhead
Z FIT-9019 1/4 FPT x 1/4FPT, bulkhead

BULKHEAD



MOUNT COUPLER TO YOUR BUMPER
 RUN 3/8 LINE THROUGH SHEET METAL




BLOW-OFF CAPS
 #CO2-0002
 #CO2-0004 (MALE)
 #CO2-0005 (FEMALE)


QR COUPLERS

LIKE ALL TOOLS WE RECOMMEND THAT YOU USE HIGH QUALITY COUPLERS AND FITTINGS. THESE COUPLERS HAVE OUR STAMP OF APPROVAL FOR FUNCTION, RELIABILITY AND DURABILITY.

MALE



FEMALE



INDUS. PLUGS
 #FIT-8070
 #FIT-8060

STEEL, WORK WITH ALL OF OUR COUPLERS, 1/4 NPT.

TOMCO SUPER
 #FIT-8022
 #FIT-8020

FIT (4) STYLES OF PLUGS, SAFETY VALVE, PUSH2CONNECT, ALUM., H.P.

X-FLO
 #ALA-8030
 #ALA-8032

HI-FLOW, LOW TEMP., ALUMINUM, PUSH-2CONNECT, HIGH PRESSURE.

AIR LOCK
 #ALA-8026
 #ALA-8024

PUSH2CONNECT, LOW TEMP, BRASS, HIGH PRESSURE



EURO CLIP-ON CHUCKS
 #CHK-4006 (CLOSED)
 #CHK-4004 (OPEN)



NO-AIR-LOSS CHUCK (1700 PSI)
 #CHK-4007



SCREW-ON CHUCK FOR HIGHER TIRE PRESSURES, 60+ PSI
 #CHK-8050



TRIPLE OUTLET GREAT FOR JOBSITES
 #MAN-9019



N2 TO CO2 ADAPTER PUT XP400 OR HP250 TO N2 VALVE
 #FIT-0002

FPT=FEMALE PIPE THREAD, MPT=MALE PIPE THREAD





N2 SHOCK INFLATOR KIT
ONLY COMPLETE SHOCK FILLING KIT
ON THE MARKET!
#NIT-0400

THERE WAS A DAY WHEN ADJUSTABLE N2 SHOCKS WERE ONLY FOR TROPHY TRUCKS AND INDY CARS. NOWADAYS N2 SHOCKS ARE MORE AFFORDABLE AND ARE FOUND ON EVERYTHING FROM QUADS TO TRUCKS TO WEEKEND AUTOCROSSERS. IF YOU'RE TUNING YOUR SHOCKS YOU NEED OUR COMPLETE N2 SHOCK FILLER KIT. 400 PSI MAX. PRESSURE, ENOUGH VOLUME TO FILL SEVERAL SHOCKS, LIGHTWEIGHT, SHOULDER STRAP.



N2 MINI BOTTLE
COLOR: BLACK
#CYL-0072-BK



SHOCK INFLATOR PRO
0-500 PSI
#SIG-5600



ECONO N2 SHOCK INFLATOR
#SIG-0500

CO2/N2 REGULATOR
0-400 PSI
#REG-4012P



NO-AIR-LOSS CHUCK
(1700 PSI)
#CHK-4007



BRAIDED SUPERFLEX™ WALL
-40°F RATING / 1,200 PSI STRENGTH
10' - #HSE-8090
25' - #HSE-8080



STRAIGHT HOSE
BRAIDED SUPERFLEX™ WALL
-40°F RATING / 1,200 PSI STRENGTH
1/4" NPT HOSE ENDS
30' x 1/4" ID - #HSE-ST30
60' x 1/4" ID - #HSE-ST60
30' x 3/8" ID - #HSE-BT30
60' x 3/8" ID - #HSE-BT60



POWER GRIP GUARD
ALUMINUM, POWDER
COATED
#HAN-6061



HOSE BAG, MESH
#BAG-6020




TOM RACES HIS VIPER ON PERFECTLY TUNED SHOCKS THANKS TO HIS #NIT-0400.



SHANNON CAMPBELL LANDS ON PERFECTLY TUNED SHOCKS THANKS TO HIS POWER TANK SHOCK TOOLS. PHOTO BY: JOSH ENGLAND

TANK BOOTS
PROTECT THE TANK BASE
#TBT-6090 (10, 15LB.)
#TBT-8000 (20LB.)



BLOW GUN
OPEN HOOK
#ATL-2000



AIR TOOL OILER
#CO2-ATO

REGULATOR KITS

IF YOU WANT TO TURN YOUR OWN CO2 TANK INTO A POWER TANK THIS IS ALL YOU NEED. GET THE SAME PERFORMANCE AND SAFETY WITH OUR SUPERFLOW REGULATOR KITS.



#REG-7000
COMP SERIES HP250i, 250 PSI
SHOWN W/ OPTIONAL XFLO COUPLER



#REG-7001
PRO SERIES XP400i, 400 PSI
XFLO COUPLER STANDARD



VALVE THREAD PROTECTOR
RECOMMEND FOR MINI'S
#VLV-5009



POWER WRENCH 3
FOR CO2 & N2 EQUIP.
#CO2-WREN3



STAUN AUTO DEFLATORS
6-30 PSI
#STN-0004



SUPER SCALE
50 LB. MAX; GOOD FOR ALL POWER TANK BOTTLES
#CO2-2050



TRAILHEAD AUTO DEFLATORS
5-20 PSI

RED #THD-8120
BLUE #THD-8125
SILVER #THD-8130



N2 XP-400i REGULATOR & HOSE KIT,
USE W/ YOUR OWN N2 TANK
N2 READY, NO ADAPTER REQ'D
#NIT-0100

PREMIUM N2 XP-400i REGULATOR & HOSE KIT
W/ POWER WRENCH 3 + SHOCK INFLATOR PRO,
USE W/ YOUR OWN N2 TANK
#NIT-0110

THIS "AIR UP TIMES AND QUANTITY OF TIRE FILLS" CHART

ILLUSTRATES THE SPEED AND QUANTITY OF TIRE INFLATIONS OF OUR PORTABLE HIGH PERFORMANCE CO2 AIR SYSTEMS.

POWER TANK Featuring the SuperFlow HP250 and XP400 regulators.	If you ADD 10 PSI to your tires:	Here is how many tires you can inflate:			If you ADD 20 PSI to your tires:	Here is how many tires you can inflate:			If you ADD 30 PSI to your tires:	Here is how many tires you can inflate:			If you ADD 40 PSI to your tires:	Here is how many tires you can inflate:				
		Qty. of tires.	Qty. of tires.	Qty. of tires.		Qty. of tires.	Qty. of tires.	Qty. of tires.		Qty. of tires.	Qty. of tires.	Qty. of tires.		Qty. of tires.	Qty. of tires.	Qty. of tires.	Qty. of tires.	Qty. of tires.
What's your tire size?	Here is your inflation time.* TIME:	PT5 Tank	PT10 Tank	PT15 Tank	PT20 Tank	PT5 Tank	PT10 Tank	PT15 Tank	PT20 Tank	PT5 Tank	PT10 Tank	PT15 Tank	PT20 Tank	PT5 Tank	PT10 Tank	PT15 Tank	PT20 Tank	
205/75R15	6 sec.	45	90	136	12 sec.	23	45	68	90	18 sec.	15	29	44	25 sec.	11	23	34	45
225/75R16	7 sec.	38	76	114	15 sec.	19	38	57	71	22 sec.	12	24	36	29 sec.	10	19	29	38
30 x 9.50 x 15	8 sec.	34	68	102	17 sec.	17	34	51	64	25 sec.	11	22	33	33 sec.	9	17	26	34
32 X 11.50 X 15	12 sec.	26	53	80	22 sec.	13	27	40	54	34 sec.	8	18	26	46 sec.	7	14	20	27
33 x 12.50 x 15	15 sec.	20	40	60	30 sec.	10	20	30	40	45 sec.	7	13	20	60 sec.	5	10	15	20
295/75R16	15 sec.	20	40	60	30 sec.	10	20	30	40	45 sec.	7	13	20	60 sec.	5	10	15	20
35 x 12.50 x 15	19 sec.	15	30	45	38 sec.	8	16	24	32	56 sec.	5	10	16	1 min./16 s.	4	8	12	16
325/70R17	19 sec.	15	30	45	38 sec.	8	16	24	32	56 sec.	5	10	16	1 min./16 s.	4	8	12	16
37 x 12.50 x 17	23 sec.	12	24	36	45 sec.	6	13	20	26	1 min./8 s	4	8	13	1 min./30 s.	3	7	10	13
39.50 x 15 x 15	41 sec.	7	14	21	1 min./23 s.	3	7	10	14	2 min./4 s.	2	5	7	2 min./46 s.	2	4	5	7
42 x 15 x 15	56 sec.	5	10	15	1 min./53 s.	2	5	7	10	2 min./49 s.	1	3	5	3 min./46 s.	1	3	4	5

*All times are approximate based on average tire size and stem flow rates. Your times may vary due to your tire brand, rim width, and stem flow rates.

NOTE: All inflation times above can be cut by 50% when inflating through our Monster Valves!

If your inflation / deflation requirements fall below the red line, we suggest using Monster Valves for maximum performance from your Power Tank System.

POWER TANK SPEC CHART

MODEL	TOTAL HEIGHT	DIAMETER	WEIGHT (FULL)*	WEIGHT (EMPTY)*	VOLUME (FT ³)	CO2 CAPACITY
PS01	13.25"	3.12"	3.75 LB.	2.5 LB.	10	20 OZ.
PS02	14.5"	4.38"	7 LB.	4.5 LB.	21	2.5 LB.
PT05	21"	5.25"	17 LB.	12 LB.	42	5 LB.
PT10	24"	6.90"	28 LB.	18 LB.	84	10 LB.
PT15	30"	6.90"	36 LB.	21 LB.	126	15 LB.
PT20	30"	8.00"	50 LB.	30 LB.	168	20 LB.

*ALL WEIGHTS ARE ESTIMATES AND INCLUDE THE REGULATOR AND POWER GRIP GUARD.

FREQUENTLY ASKED QUESTIONS

“IS THIS JUST A SCUBA TANK?”

NO, WE USE ONLY TOP-OF-THE-LINE CO2 CERTIFIED EQUIPMENT. SCUBA TANKS ARE COMPLETELY DIFFERENT IN CYLINDER AND VALVE DESIGN AND SCUBA TANKS CANNOT BE USED IN PLACE OF A CO2 TANK. OUR SUPERFLOW REGULATOR KITS WILL NOT WORK ON SCUBA TANKS.

“HOW DO YOU REFILL A POWER TANK?”

THE POWER TANKS ARE REFILLED WITH CO2 AT MOST FIRE EXTINGUISHER SERVICE SHOPS, WELDING SUPPLY SHOPS, COMMERCIAL BEVERAGE SUPPLIERS, AND PAINTBALL SHOPS FOR THE SMALL TANKS. CHECK IN YOUR ON-LINE YELLOW PAGES OR PHONE BOOK. NOTE: POWER TANKS ARE SHIPPED EMPTY. IF YOU NEED HELP FINDING A CO2 SUPPLIER, CONTACT US.

“WHAT ARE THE ADVANTAGES OF A POWER TANK OVER A 12 VOLT COMPRESSOR?”

SPEED - ADD 1 PSI EVERY (2) SECONDS TO A 35" TIRE NO MATTER WHAT THE PRESSURE. RESEAT A TIRE IN (2) MINUTES WITHOUT REMOVING IT FROM THE VEHICLE. NEVER ANY PRESSURE UP LAG.

POWER - A POWER TANK CAN RUN A 1/2" IMPACT WRENCH AT FULL POWER. CHANGE A TIRE IN MINUTES. REMOVE A PINION NUT. DROP A PITMAN ARM. THIS IS SERIOUS POWER!

VERSATILITY - ADJUST THE PRESSURE FOR THE TASK. CARRY THE POWER TANK TO THE JOB. NEVER BE LIMITED BY A CORD LENGTH. MOUNTS IN MORE PLACES. EASY TO INSTALL AND CARRY.

“WHAT IF THE TANK IS CAUGHT IN A VEHICLE FIRE? WILL IT EXPLODE?”

NO. THERE IS A BUILT IN SAFETY PRESSURE RELEASE CAP ON ALL OF OUR MAIN TANK VALVES WHICH RELEASES THE PRESSURE WELL BELOW THE BURST PRESSURE OF THE TANK IF IT GOT TOO HOT.

“IS THE CO2 GAS SAFE FOR MY TIRES AND TOOLS?”

YES. CO2 VAPOR IS INERT (NON-TOXIC, NON-CORROSIVE, AND VERY DRY). CO2 VAPOR IS PERFECTLY SAFE FOR YOUR TIRES, WHEELS, AND AIR TOOLS WHEN USED PROPERLY WITH OUR PARTS. CO2'S THERMAL EXPANSION RATE IS THE SAME AS AIR (SEE "NITROGEN FOR TIRES - TRUTH OR HYPE?" ON OUR HOMEPAGE). AND POWER TANK CO2 VAPOR WILL NOT FREEZE YOUR TOOLS.

“WON'T CO2 LEAK OUT OF MY TIRES FASTER THAN AIR?”

NO. THE CO2 MOLECULE IS SIMILAR IN SIZE TO A NITROGEN MOLECULE WHICH IS 78% OF THE AIR IN YOUR TIRES.

“WHY CO2 INSTEAD OF NITROGEN (N2) FOR TIRES AND TOOLS?”

CO2 WILL GIVE YOU THREE TIMES THE "AIR" VOLUME OVER N2 IN A GIVEN TANK SIZE. HAVING ONE TANK OF CO2 IS LIKE CARRYING THREE TANKS OF N2. THIS MAKES IT MORE ECONOMICAL AND MEANS YOU'LL HAVE THE POWER WHEN YOU NEED IT. HANDLING CO2 IS ALSO MUCH SAFER. WE DO MAKE AN N2 COMPATIBLE CO2 REGULATOR (XP400I) DESIGNED FOR N2 SHOCK FILLING.

“AREN'T THE OTHER CO2 SYSTEMS THE SAME AS POWER TANK?”

ABSOLUTELY NOT. FOR THE HIGHEST PERFORMANCE AND RELIABILITY, THE NEWEST TECHNOLOGY, AND THE BEST WARRANTY, POWER TANK BEATS THEM ALL.



POWER TANK® MASTER BLASTER™

EMERGENCY TIRE KIT FOR CARS, TRUCKS, VANS, AND MOTORCYCLES

DON'T RUN ON LOW TIRES. THE MASTER BLASTER ALLOWS YOU TO INFLATE LOW TIRES IN SECONDS. IF YOUR CAR DOESN'T HAVE A SPARE THE PTM-0125 W/ PLUG KIT GIVES YOU PEACE-OF-MIND WHEREVER YOU GO. LOW PROFILE TIRES WILL LOVE THE EXTRA ATTENTION THEY'LL GET WHEN YOU HAVE A MASTER BLASTER IN YOUR CAR. KEEP ONE IN EVERY CAR. ONE BOTTLE WILL INFLATE 3 TO 6 CAR TIRES FROM 0-30 PSI. REFILLABLE AT YOUR LOCAL PAINTBALL SHOPS. VERY EASY TO USE.



17

RUN-FLATS ARE HEAVY AND PRICED SO MOST 'VETTE OWNERS LIKE GLEN DITCH 'EM FOR IMPROVED HANDLING. FOR FLATS HE CARRIES A MASTER BLASTER #PTM-0125.

THE PERFECT SOLUTION FOR LOW MOTORCYCLE TIRES, ONE PTM-0124 MASTER BLASTER PROVIDES AT LEAST (30) TIRE TOP-OFFS. AND REFILLS ARE CHEAP AND EASY.

IF JAY'S '55 PICKS UP A NAIL ON THE WAY TO HOT AUGUST NIGHTS HIS PTM-0125 WILL HAVE HIM BACK ON THE ROAD IN 10 MINUTES. NO TOW TRUCK TOUCHES THIS CAR.

USING A MASTER BLASTER KIT, STEVE CAN PLUG THE TIRE, AIR IT UP AND GET HOME QUICKER AND EASIER THAN CHANGING TO THE MINI SPARE. YEP, HE'S DONE IT.



- MASTER BLASTER 1
- MB TRIGGER VALVE
 - 20 OZ. BOTTLE
 - ZIPPERED CASE
 - TIRE GAUGE
 - VALVE CAP
- #PTM-0124



- MASTER BLASTER 2
- MB TRIGGER VALVE
 - 20 OZ. BOTTLE
 - ZIPPERED CASE
 - PLUG KIT W/ PLIERS
 - TIRE GAUGE
 - VALVE CAP
- #PTM-0125



- MASTER BLASTER KIT
- MB TRIGGER VALVE
 - TIRE GAUGE
 - VALVE CAP
- #PTM-0100

POWER TANK® SIDEARM SERIES™

AIR SYSTEMS FOR THE RACE TRACK, PIT, AND GARAGE



COMBINE THE HIGH FLOW SIDEARM COMP REGULATOR WITH A 20 OZ. CAPACITY CO2 BOTTLE AND YOU GET A VERY PORTABLE AIR SYSTEM THAT CAN BE CARRIED ON YOUR BELT. ADJUST TIRE PRESSURES AT THE TRACK & RUN AIR TOOLS (3/8" IMPACT, NAIL GUNS, RIVET GUN, GREASE GUN). THE SERIES 20 HOLSTER SLIDES OVER BELT OR CLIPS TO POCKET. INCLDS. 10' HOSE WITH COUPLER, TIRE CHUCK. #PS01-3140

ADD A SECOND BOTTLE ALONG WITH A STRAIGHT JACKET CARRY SLEEVE W/ BELT CLIP AND A TIRE GAUGE WITH A CARRY BAG TO KEEP IT ALL TOGETHER AND YOU HAVE A COMPLETE 20 SERIES KIT. #PS01-3150

IF YOU WANT A SUPER PORTABLE AIR SYSTEM WITH A BIT MORE VOLUME AND YOU DON'T MIND A FEW EXTRA LBS. THE 40 SERIES IS FOR YOU. STILL WITH THE WORKHORSE SIDEARM COMP REGULATOR, THIS 40 OZ. CAPACITY BOTTLE USES A SHOULDER SLING TO CARRY THE WEIGHT AND KEEP BOTH HANDS FREE. #PS02-4140

ADD A SECOND BOTTLE AS A BACK UP AND THE CARRY BAG TO PACK IT ALL IN. #PS02-4150

18

SidexSide HP Air:
MOUNT PORTABLE HIGH PERFORMANCE AIR TO YOUR RIG AND BE READY FOR ANYTHING.

SIDEARM
160 PSI
ADJUSTABLE
FOR TIRES AND 1/2"
IMPACT WR., ALUM.
BRKT., TIRE CHUCK,
2.5 LB. BOTTLE,
10' HOSE
#PS02-4240



SIDEARM
160 PSI ADJUSTABLE
FOR TIRES AND 1/2"
IMPACT WR., BRKT.,
INFLATOR W/ GAUGE,
BAG 2.5 LB. BOTTLE,
CARRY BAG, HOSE
#PS02-4250



	20oz.	2.5LB.
FILL SUV TIRES TO 30PSI	3-4	6-8
FILL ATV TIRES TO 10PSI	15	30
REMOVE LUG NUTS W/ 1/2" IMPACT GUN	40	80
ADD 50PSI TO AIR BAG	6-10	12-20



POWER TANK® RV SERIES



RV TIRES (AND BIG TRUCK TIRES) ARE DESIGNED TO CARRY HEAVY LOADS AND RUN AT PRESSURES BETWEEN 80 AND 130 PSI. THEY CANNOT HANDLE THE STRESS OF BEING RUN BELOW 80% OF PROPER TIRE PRESSURE WITHOUT DAMAGING THEM, CAUSING BLOW-OUTS AND TREAD SEPARATION DUE TO EXCESS TIRE FLEX AND HEAT BUILDUP. MAINTAINING THESE TIRE PRESSURES IS CRITICAL FOR SAFETY, TIRE LIFE, AND FUEL ECONOMY. POWER TANK MAKES IT EASY TO KEEP YOUR TIRES AT OPTIMUM PRESSURES AND IF IT'S EASIER YOU'LL CHECK AND TOP-OFF YOUR TIRES MORE OFTEN. MOST TOP-OFFS TAKE LESS THAN A MINUTE.

EVEN BIG 22.5" TIRES CAN BE TOPPED OFF IN LESS THAN A MINUTE. THE 6 FT. HOSE WHIP IN THE GOLD AND PLATINUM KITS LETS YOU STAND CLEAR OF DANGER.




SILVER PACKAGE
 • PRESET SUPERFLOW REG.
 • 180 PSI
 • 10 FT. COILED HOSE
 • SPEED BAG
 • DUALHEAD CHUCK
 #RV10-SIL

POWER TANK® TOWMAN SERIES



FULL-SIZED AIR SYSTEM FOR YOUR SERVICE VEHICLES: HAVING ON-BOARD AIR SAVES TIME. GET THE POWER OF A FULL SIZE AIR COMPRESSOR IN YOUR SERVICE VEHICLE WITH A POWER TANK® AIR SYSTEM. GET THE POWER TO RUN A 1/2" IMPACT WRENCH, THE POWER TO INFLATE A POWER LIFT BAG IN 7 SECONDS, THE POWER TO INFLATE EVEN A 130 PSI RV TIRE. LET POWER TANK SAVE YOU TIME ON CALLS TO KEEP YOUR COSTS DOWN.

ALLEVIATE CAR DAMAGE CLAIMS: CLAIMS CAN MAKE OR BREAK YOUR BOTTOM LINE. WITH OUR POWER LIFT BAGS YOU CAN VIRTUALLY ELIMINATE THE RISK OF CAR DAMAGE CAUSED BY FLOOR JACKS. OUR POWER LIFT BAGS™ WILL LIFT UP TO 2500 LB. IN A MATTER OF SECONDS WITH A SOFT, YET HIGHLY DURABLE MATERIAL. GETS UNDER CARS WITH JUST 2" OF CLEARANCE AND WORKS WITH A POWER TANK OR YOUR TRUCK AIR.



POWER LIFT BAG
 • LIFTS 2500 LB. UP TO 22"
 • WEIGHS A MERE 13LBS.
 • SLIDES INTO A 2" GAP
 #PLB-2500



19



RV TIRES SHOULD NEVER GO BELOW 80% OF PROPER TIRE PRESSURE TO PREVENT DANGEROUS TIRE FAILURES.



RV10 (24") AND RV15 (30") IN OPTIONAL AL COLOR FEATURING OPTIONAL XFLO COUPLERS (RED) ON THE HP250i REGULATOR.

GOLD PACKAGE
 • PRESET SUPERFLOW REG.
 • 180 PSI
 • 10 FT. COILED HOSE
 • SPEED BAG
 • TIG-8160 TIRE INFLATOR W/ 160 PSI GA., TRIPLE CHUCKS, 6' HOSE WHIP
 #RV10-GLD



PLATINUM PACKAGE
 • HP250i ADJUSTABLE REG.
 • 0-250 PSI
 • 10 FT. COILED HOSE
 • SPEED BAG
 • #TIG-8340 TIRE INFLATOR W/ 255 PSI DIGITAL GA., TRIPLE CHUCKS, 6' HOSE WHIP
 • POWER WRENCH 3
 #RV10-PLT

20



EXPENSIVE CARS & THEIR OWNERS LIKE SEEING THE PLB LIFTING THEIR CARS INSTEAD OF A FLOOR JACK, AND THE PLB WILL FIT IN A 2" GAP!



FLOOR SYSTEM 1 NAMED FOR ITS FEATURED FLOOR BRACKET, THE FLOOR SYSTEM 1 GIVES YOU A STABLE AIR SYSTEM FOR ROADSIDE USE. FEATURES A 30' HOSE, REG. COVER, FITTINGS.
 #TMF10-5240-YL



FLOOR SYSTEM 2 THE BASE MOUNT IN THIS KIT LOCKS YOUR FLOOR SYSTEM DOWN IN YOUR VEHICLE. THE HD TIRE INFLATOR WITH THE SUPER COUPLER MAKE QUICK WORK OF TIRE



PACKMAN SYSTEM 1 WHEN PORTABILITY AND PROTECTION OF YOUR POWER TANK IS IMPORTANT THE PACKMAN CARRY BAG IS THE ANSWER. IT IS FULLY PADDED AND HAS MULTIPLE CARRYING METHODS.



PACKMAN SYSTEM 2 THE ADDITION OF OUR #TIG-8170 TIRE INFLATOR AND OUR SUPER COUPLER MAKES A GREAT TOOL EVEN BETTER.
 #TMP10-5250



POWER TANK® CONSTRUCTION SERIES

MORE MOBILITY, MORE SPEED, MORE EASE-OF-USE, MORE PROFITS

THE POWER TANK IS A PORTABLE AND POWERFUL AIR SYSTEM THAT CAN DRIVE YOUR NAIL GUNS, INFLATE TRACTOR TIRES, RUN AN IMPACT WRENCH, AND EVEN SPRAY PAINT. BECAUSE OF ITS PORTABILITY, LIGHT WEIGHT, AND LACK OF CORDS YOU WILL GET STARTED QUICKER, GET THE JOB DONE FASTER, AND BE THE FIRST TO ROLL UP AND OUT. AND YOU'LL LIKE THE QUIET OPERATION. REFILLABLE.



21



20 OZ. SIDEARM PKG. B FEATURES THE ADJUSTABLE SIDEARM COMP REG. (0-160 PSI) AND 20 OZ. BOTTLES. HOLSTER AND SLEEVE FOR CARRYING. 10' HOSE. #PTC01-3150



40 OZ. SIDEARM PKG. B POWER, PORTABILITY, NICE PERFORMANCE WITH BRAD TO FRAMER GUNS. SHOULDER SLING FOR CARRYING. SIDEARM COMP REG. #PTC02-4150

10, 15, 20 LB. POWER TANKS FLOOR BRACKET FOR PORTABILITY AND STABILITY. BASE MOUNT FOR QUICK STORAGE. 2ND TANK TO ROTATE, PLUG KIT FOR TIRES, 30' HOSE #FB10-5260-YL




SEE OUR WEBSITE FOR MORE CONSTRUCTION SERIES AIR SYSTEMS.




NO FILTER NEEDED TO PAINT.



SCISSOR LIFT BRACKET #BKT-2320



COMPLETE KIT TO FILL 9-40 OZ. CO2 BOTTLES FROM YOUR 10-35 LB. TANK. #ITT-2000



POWER WRENCH 3 #CO2-WREN3



TANK INVERTED ON STAND WITH #CO2-2061 #ITT-2020 (STAND)



POWER FILLER 1 FILLS UP TO 40 OZ. #CO2-2061



PIN VALVE ADAPTER USE WITH CO2-2060 TO FILL PAINTBALL-STYLE PIN VALVE BOTTLES. #CO2-2062



TRANSFILL CO2 TO BOTTLES WITH CGA-320 VALVES #CO2-2320

A BUCKET OF ICE USED WITH #CO2-2320 >>



REFILL EQUIPMENT

REFILL 9 OZ. TO 15 LB. CO2 BOTTLES PUMP NEEDS 120 PSI AIR. DIGITAL SCALE BUILT-IN GAS FILTER INCLUDED. #CO2-2060



FILL 9-40 OZ. CO2 BOTTLES IN A SHOP FROM YOUR 50 LB. TANK. #ITT-3000



VALVE ADAPTER FOR EUROPEAN AND ASIAN CO2 VALVES #CO2-2070

22

