



**Manual Spray Gun Catalog**

# Gravity Fed Spray Guns

From the development of our first spray gun in 1925 to our new Century Series, ANEST IWATA has been the pioneer in spray technology for over 75 years. ANEST IWATA's commitment to quality, innovation and service is unparalleled. Look to ANEST IWATA as the leader in the spray gun industry.

## LPH400 LV

High performance center post gravity fed HVLP spray gun with low air consumption and superior atomization.



| Model              | Nozzle Size | Pattern Width (in.) | PSI                 | CFM | Gun Only # | PCG6PM #6000 | PCG7DM #6033D | PCG10DM #6034D | M&S #6040 | Usage  |  |
|--------------------|-------------|---------------------|---------------------|-----|------------|--------------|---------------|----------------|-----------|--|--|
| LPH400-124LV       | 1.2         | 10.2                | 16                  | 9.5 | 5540       | 5541         | 5542          | 5543           | 5549      | Fine Metallic, Spot Repair, Light Industry, Hobby, Woodwork, Metal |  |
| LPH400-134LV       | 1.3         | 11.0                | 16                  | 9.5 | 5640       | 5641         | 5642          | 5643           | 5659      | Base Coat, Clear Coat, Waterborne Base Coat, Woodwork, Metal       |  |
| LPH400-144LV       | 1.4         | 11.4                | 16                  | 9.5 | 5550       | 5551         | 5552          | 5553           | 5559      | Base Coat, Clear Coat, Single Stage, Woodwork, Metal               |  |
| LPH400-154LV       | 1.5         | 11.6                | 16                  | 9.5 | 5535       | 5536         | 5537          | 5538           | 5539      | Clear Coat, Single Stage, Medium to High Viscosity                 |  |
| LPH400-164LV       | 1.6         | 11.8                | 16                  | 9.5 | 5560       | 5561         | 5562          | 5563           | 5569      | Sealers, Enamels, Medium to High Viscosity                         |  |
| LPH400-184LV       | 1.8         | 12.6                | 16                  | 9.5 | 5570       | 5571         | 5572          | 5573           | 5579      | Primers, High Viscosity  |  |
| Air Cap Test Gauge |             |                     | Air Cap #LPH400-LV4 |     |            | Part #2995   |               | Air Inlet 1/4" |           | Fluid Inlet M16 x 1.5  |  |

## LPH400 LVX

Designed to increase productivity for 0 to 95% of all basecoats.



| Model              | Nozzle Size | Pattern Width (in.) | PSI                 | CFM | Gun Only # | PCG6PM #6000 | PCG7DM #6033D | PCG10DM #6034D | M&S #6040 | Usage                       |  |
|--------------------|-------------|---------------------|---------------------|-----|------------|--------------|---------------|----------------|-----------|-----------------------------|--|
| LPH400-134LVX      | 1.3         | 11.8                | 16                  | 9.8 | 5660       | 5661         | 5662          | 5663           | 5664      | Basecoat, Metallic & Pearls |  |
| LPH400-144LVX      | 1.4         | 12.2                | 16                  | 9.8 | 5670       | 5671         | 5672          | 5673           | 5674      | Basecoat, Metallic & Pearls |  |
| LPH400-154LVX      | 1.5         | 13.0                | 16                  | 9.8 | 5680       | 5681         | 5682          | 5683           | 5684      | Basecoat, Metallic & Pearls |  |
| Air Cap Test Gauge |             |                     | Air Cap #LPH400-LVX |     |            | Part #2998   |               | Air Inlet 1/4" |           | Fluid Inlet M16 x 1.5       |  |



## LPH400 LVB

Designed with excellent metallic control for the most difficult basecoats.



| Model              | Nozzle Size | Pattern Width (in.) | PSI                 | CFM | Gun Only # | PCG6PM #6000 | PCG7DM #6033D | PCG10DM #6034D | M&S #6040 | Usage                 |  |
|--------------------|-------------|---------------------|---------------------|-----|------------|--------------|---------------|----------------|-----------|-----------------------|--|
| LPH400-134LVB      | 1.3         | 12.6                | 14                  | 8.3 | 5700       | 5701         | 5702          | 5703           | 5704      | Fine Metallic         |  |
| LPH400-144LVB      | 1.4         | 12.8                | 14                  | 8.3 | 5705       | 5706         | 5707          | 5708           | 5709      | Fine Metallic         |  |
| LPH400-154LVB      | 1.5         | 13.2                | 14                  | 8.3 | 5710       | 5711         | 5712          | 5713           | 5714      | Fine Metallic         |  |
| Air Cap Test Gauge |             |                     | Air Cap #LPH400-LVB |     |            | Part #2996   |               | Air Inlet 1/4" |           | Fluid Inlet M16 x 1.5 |  |



## LPH300 LV

Compact size center post gravity fed HVLP spray gun with full size performance.



| Model              | Nozzle Size | Pattern Width (in.) | PSI                 | CFM | Gun Only # | PCG7D2 #603D | M&S #6041 | Usage   |  |
|--------------------|-------------|---------------------|---------------------|-----|------------|--------------|-----------|---|--|
| LPH300-124LV       | 1.2         | 8.0                 | 15                  | 7.1 | 3940       | 3942         | 3943      | Spot Repair, Light Industry, Hobby, Woodwork, Metal |  |
| LPH300-134LV       | 1.3         | 8.5                 | 15                  | 7.1 | 3955       | 3957         | 3958      | Base Coat, Woodwork, Metal                          |  |
| LPH300-144LV       | 1.4         | 9.0                 | 15                  | 7.1 | 3945       | 3947         | 3948      | Base Coat, Clear Coat, Woodwork, Metal              |  |
| LPH300-164LV       | 1.6         | 9.0                 | 19                  | 8.5 | 3950       | 3952         | 3953      | Sealers, Medium to High Viscosity                   |  |
| LPH300-184LV       | 1.8         | 9.0                 | 19                  | 8.5 | 3960       | 3962         | 3963      | Primers, Medium to High Viscosity                   |  |
| LPH300-204LV       | 2.0         | 9.0                 | 19                  | 8.5 | 3965       | 3967         | 3968      | HS Primer, High Viscosity                           |  |
| Air Cap Test Gauge |             |                     | Air Cap #LPH100-LV4 |     |            | Part #2985B  |           | Air Inlet 1/4" Fluid Inlet 1/4" Female              |  |

## LPH440

Designed specifically for spraying primers, sealers and fillers. The sharp edged spray pattern of the LPH440 creates optimal overlap increasing working speed.



M&S Cup #6040  
Reusable/Disposable Cup



PCG6PM #6000  
600ml Plastic Cup



PCG7DM #6033D  
700ml Aluminum Cup  
SST Fluid Joint



PCG10DM #6034D  
1000ml Aluminum Cup  
SST Fluid Joint



| Model              | Nozzle Size | Pattern Width (in.) | PSI       | CFM | Gun Only #     | PCG6PM #6000 | PCG7DM #6033D         | PCG10DM #6034D | M&S #6040 | Usage             |
|--------------------|-------------|---------------------|-----------|-----|----------------|--------------|-----------------------|----------------|-----------|-------------------|
| PH440-141          | 1.4         | 9.8                 | 20        | 8.9 | 5720           | 5721         | 5722                  | 5723           | 5724      | Primers / Sealers |
| PH440-161          | 1.6         | 10.2                | 20        | 8.9 | 5725           | 5726         | 5727                  | 5728           | 5729      | Primers / Sealers |
| PH440-181          | 1.8         | 10.6                | 20        | 8.9 | 5730           | 5731         | 5732                  | 5733           | 5734      | Primers / Sealers |
| PH440-201          | 2.0         | 11.0                | 20        | 8.9 | 5735           | 5736         | 5737                  | 5738           | 5739      | Primer Surfacer   |
| PH440-251          | 2.5         | 11.4                | 20        | 8.9 | 5740           | 5741         | 5742                  | 5743           | 5744      | Polysurfacer      |
| Air Cap Test Gauge |             | Air Cap #H440       | Part #997 |     | Air Inlet 1/4" |              | Fluid Inlet M16 x 1.5 |                |           |                   |

## W400-LV Compliant

Center post gravity fed spray gun combines LV Technology with High-TEC standard to give you high transfer efficiency control and superior atomization.



M&S Cup #6040  
Reusable/Disposable Cup



PCG6PM #6000  
600ml Plastic Cup



PCG7DM #6033D  
700ml Aluminum Cup  
SST Fluid Joint



PCG10DM #6034D  
1000ml Aluminum Cup  
SST Fluid Joint



| Model                  | Nozzle Size | Pattern Width (in.) | PSI | CFM  | Gun Only #     | PCG6PM #6000 | PCG7DM #6033D         | PCG10DM #6034D | M&S #6040 | Usage  |
|------------------------|-------------|---------------------|-----|------|----------------|--------------|-----------------------|----------------|-----------|--|
| W400LV-124G with AK-1B | 1.2         | 9.6                 | 20  | 10.0 | 4750           | 4751         | 4752                  | 4753           | 4754      | Base Coat, Clear Coat, Spot Repair, Fine Metallic, Waterborne, Light Industry, Hobby |
|                        |             |                     |     |      | 4830           | 4831         | 4832                  | 4833           | 4834      |  |
| W400LV-134G with AK-1B | 1.3         | 10.2                | 20  | 10.0 | 4755           | 4756         | 4757                  | 4758           | 4759      | Base Coat, Clear Coat, Touch-Ups, Waterborne, Woodwork, Metal                        |
|                        |             |                     |     |      | 4835           | 4836         | 4837                  | 4838           | 4839      |  |
| W400LV-144G with AK-1B | 1.4         | 10.8                | 20  | 10.0 | 4760           | 4761         | 4762                  | 4763           | 4764      | Base Coat, Clear Coat, Touch-Ups, Waterborne, Woodwork, Metal                        |
|                        |             |                     |     |      | 4840           | 4841         | 4842                  | 4843           | 4844      |  |
| W400LV-164G with AK-1B | 1.6         | 11.2                | 20  | 10.0 | 4765           | 4766         | 4767                  | 4768           | 4769      | Clear, Medium to High Viscosity  |
|                        |             |                     |     |      | 4845           | 4846         | 4847                  | 4848           | 4849      |  |
| W400LV-184G with AK-1B | 1.8         | 11.8                | 20  | 10.0 | 4770           | 4771         | 4772                  | 4773           | 4774      | Primer, High Viscosity   |
|                        |             |                     |     |      | 4850           | 4851         | 4852                  | 4853           | 4854      |  |
|                        |             |                     |     |      | Air Inlet 1/4" |              | Fluid Inlet M16 x 1.5 |                |           |  |

## W400

Center post gravity fed spray gun with high transfer efficiency control and superior atomization.



M&S Cup #6040  
Reusable/Disposable Cup



PCG6PM #6000  
600ml Plastic Cup



PCG7DM #6033D  
700ml Aluminum Cup  
SST Fluid Joint



PCG10DM #6034D  
1000ml Aluminum Cup  
SST Fluid Joint



| Model     | Nozzle Size | Pattern Width (in.) | PSI | CFM  | Gun Only #     | PCG6PM #6000 | PCG7DM #6033D         | PCG10DM #6034D | M&S #6040 | Usage  |
|-----------|-------------|---------------------|-----|------|----------------|--------------|-----------------------|----------------|-----------|--|
| W400-122G | 1.2         | 9.1                 | 29  | 9.9  | 4700           | 4702         | 4702T                 | 4702U          | 4704      | Fine Metallics, Woodwork, Metal                      |
| W400-132G | 1.3         | 10.2                | 29  | 9.9  | 4725           | 4727         | 4727T                 | 4727U          | 4729      | Base Coat, Clear Coat, Woodwork, Metal               |
| W400-142G | 1.4         | 11.0                | 29  | 9.9  | 4705           | 4707         | 4707T                 | 4707U          | 4709      | Base Coat, Clear Coat, Single Stage, Woodwork, Metal |
| W400-162G | 1.6         | 11.8                | 29  | 9.9  | 4710           | 4712         | 4712T                 | 4712U          | 4714      | Enamels, Woodwork, Metal                             |
| W400-182G | 1.8         | 11.9                | 29  | 10.2 | 4715           | 4717         | 4717T                 | 4717U          | 4719      | Sealers, Medium to High Viscosity                    |
| W400-251G | 2.5         | 13.4                | 43  | 12.7 | 4720           | 4722         | 4722T                 | 4722U          | 4724      | HS Primer, High Viscosity                            |
|           |             |                     |     |      | Air Inlet 1/4" |              | Fluid Inlet M16 x 1.5 |                |           |  |



# Pressure and Siphon Fed Spray Guns

## LPH200P / LPH200 LVP

High performance and lightweight pressure fed HVLP spray gun.



| Model                     | Nozzle Size | Pattern Width (in.) | PSI                | CFM                 | Gun Only #       | Usage  |
|---------------------------|-------------|---------------------|--------------------|---------------------|------------------|--|
| <b>LPH200 Pressure</b>    |             |                     |                    |                     |                  |  |
| LPH200-102P               | 1.0         | 10.7                | 28                 | 17.7                | 5403             | HS 2.8 - 3.5 voc / Large Work pieces, Woodwork, Fleet Vehicles               |
| LPH200-122P               | 1.2         | 11.8                | 28                 | 17.7                | 5400             | 5.0 voc / Large Work pieces, Woodwork, Fleet Vehicles                        |
| LPH200-142P               | 1.4         | 12.5                | 28                 | 17.7                | 5405             | Enamels, Large Work pieces, Woodwork, Fleet Vehicles                         |
| <b>LPH200 LV Pressure</b> |             |                     |                    |                     |                  |  |
| LPH200-086LVP             | 0.8         | 12.6                | 28                 | 13.5                | 5406             | High Metallic 2.8 - 3.5 voc / Large Work pieces, Woodwork, Fleet Vehicles    |
| LPH200-106LVP             | 1.0         | 13.0                | 28                 | 13.5                | 5407             | HS 2.8 - 3.5 voc / Large Work pieces, Woodwork, Fleet Vehicles               |
| LPH200-126LVP             | 1.2         | 13.8                | 28                 | 13.5                | 5408             | Enamels 3.5 - 5.0 voc / Primers, Large Work pieces, Woodwork, Fleet Vehicles |
|                           |             |                     | Air inlet 1/4"     |                     | Fluid Inlet 3/8" |  |
|                           |             | LPH200-P            | Air Cap Test Gauge | Air Cap #LPH200-G2  | Part #2991       |  |
|                           |             | LPH200-LVP          | Air Cap Test Gauge | Air Cap #LPH200-LV6 | Part #2992       |  |

## LPH101P / LPH100 LVP

High performance, compact and lightweight pressure fed HVLP spray gun.



| Model                     | Nozzle Size | Pattern Width (in.) | PSI                | CFM                 | Gun Only #                       | Usage  |
|---------------------------|-------------|---------------------|--------------------|---------------------|----------------------------------|--|
| <b>LPH101 Pressure</b>    |             |                     |                    |                     |                                  |  |
| LPH101-081P               | 0.8         | 6.7                 | 38                 | 15.2                | 5310B                            | High Metallic 2.8 - 3.5 voc / Spot Repair, Light Industry      |
| LPH101-101P               | 1.0         | 7.9                 | 38                 | 15.2                | 5313B                            | HS 3.5 voc / Woodwork, Metal                                   |
| LPH101-122P               | 1.2         | 10.6                | 50                 | 18.7                | 5325B                            | Enamels 3.5 - 5.0 voc / Woodwork, Metal                        |
| LPH101-131P               | 1.3         | 9.4                 | 38                 | 15.2                | 5316B                            | Enamels 5.0 voc / Woodwork, Metal                              |
| LPH101-151P               | 1.5         | 9.8                 | 38                 | 15.2                | 5319B                            | Primers, Single Stage, Med to High Viscosity, Woodwork, Metal  |
| <b>LPH100 LV Pressure</b> |             |                     |                    |                     |                                  |  |
| LPH100-082LVP             | 0.8         | 9.1                 | 25                 | 7.1                 | 5331                             | High Metallic, Fleet Vehicles, Woodworking (NGR Stains/Toners) |
| LPH100-102LVP             | 1.0         | 9.8                 | 25                 | 7.1                 | 5332                             | High Metallic, Fleet Vehicles, Woodworking (NGR Stains/Toners) |
|                           |             | LPH101-P            | Air Cap Test Gauge | Air Cap #LPH101-G2  | Part #2986B Use With #5325B Only |  |
|                           |             | LPH101-P            | Air Cap Test Gauge | Air Cap #LPH101-E1  | Part #2987B                      |  |
|                           |             | LPH100-LVP          | Air Cap Test Gauge | Air Cap #LPH100-LV6 | Part #2968                       |  |

## LPH101 LVS

High performance, compact and lightweight siphon fed HVLP spray gun.



PCL 7B2 #6019  
700ml Aluminum

PCL 10B2 #6015  
1000ml Aluminum

| Model         | Nozzle Size | Pattern Width (in.) | PSI                | CFM | Gun Only #          | PCL 7B2 #6019 | PCL 10B2 #6015                  | Usage   |
|---------------|-------------|---------------------|--------------------|-----|---------------------|---------------|---------------------------------|---|
| LPH101-144LVS | 1.4         | 7.1                 | 14                 | 7.0 | 5375B               | 5376B         | 5377B                           | Base Coat, Clear Coat, Touch-ups, Woodwork, Metal |
| LPH101-164LVS | 1.6         | 7.5                 | 14                 | 7.0 | 5385B               | 5386B         | 5387B                           | Enamels, Med to High Viscosity, Woodwork, Metal   |
|               |             |                     | Air Cap Test Gauge |     | Air Cap #LPH101-LV4 |               | Part #2985B                     |   |
|               |             |                     |                    |     |                     |               | Air Inlet 1/4" Fluid Inlet 1/4" |   |



## W200P / W200S

A lightweight gun with high transfer efficiency control. Available in pressure or siphon fed models.

PCL 7B3 #6021  
700ml Aluminum  
W200S ONLY

PCL 10B3 #6017  
1000ml Aluminum  
W200S ONLY

| Model                | Nozzle Size | Pattern Width (in.) | PSI | CFM  | Gun Only #                      | PCL 7B3 #6021 | PCL 10B3 #6017 | Usage   |
|----------------------|-------------|---------------------|-----|------|---------------------------------|---------------|----------------|---|
| <b>W200 Pressure</b> |             |                     |     |      |                                 |               |                |   |
| W200-122P            | 1.2         | 15.7                | 42  | 19.8 | 4600                            | n/a           | n/a            | Base Coat, Clear Coat, Large Work Pieces, Line Painting, Woodwork, Metal  |
|                      |             |                     |     |      | Air Inlet 1/4" Fluid Inlet 3/8" |               |                |   |
| <b>W200 Siphon</b>   |             |                     |     |      |                                 |               |                |   |
| W200-152S            | 1.5         | 11.4                | 42  | 11.7 | 4615                            | 4616          | 4617           | Base Coat, Clear Coat, Woodwork, Metal                                    |
| W200-182S            | 1.8         | 13.4                | 42  | 11.7 | 4625                            | 4626          | 4627           | Enamels, Woodwork, Metal  |
| W200-201S            | 2.0         | 10.2                | 42  | 9.2  | 4630                            | 4631          | 4632           | Sealers, Woodwork, Metal  |
| W200-202S            | 2.0         | 11.4                | 42  | 12.7 | 4640                            | 4641          | 4642           | Primers, Med to High Viscosity, Woodwork, Metal                           |
| W200-251S            | 2.5         | 11.0                | 42  | 12.7 | 4650                            | 4651          | 4652           | Primers, Med to High Viscosity, Woodwork, Metal Adhesives, Anti-Corrosion |
|                      |             |                     |     |      | Air Inlet 1/4" Fluid Inlet 3/8" |               |                |   |



PCL 7B2 #6019  
700ml Aluminum  
W101S ONLY



PCL 10B2 #6015  
1000ml Aluminum  
W101S ONLY

## W101P / W101S

A compact gun with high transfer efficiency control. Available in pressure or siphon fed models.




| Model                | Nozzle Size | Pattern Width (in.) | PSI | CFM | Gun Only #                      | PCL 7B2 #6019 | PCL 10B2 #6015 | Usage  |
|----------------------|-------------|---------------------|-----|-----|---------------------------------|---------------|----------------|--|
| <b>W101 Pressure</b> |             |                     |     |     |                                 |               |                |  |
| W101-082P            | 0.8         | 7.5                 | 35  | 9.5 | 4400B                           | n/a           | n/a            | High Metallics, Woodwork, Metal, Plastic                 |
| W101-102P            | 1.0         | 8.7                 | 35  | 9.5 | 4403B                           | n/a           | n/a            | HS Top Coat, Woodwork, Metal, Plastic                    |
| W101-132P            | 1.3         | 8.3                 | 35  | 7.8 | 4405B                           | n/a           | n/a            | Enamels, Med to High Viscosity, Woodwork, Metal, Plastic |
| W101-152P            | 1.5         | 9.4                 | 35  | 7.8 | 4407B                           | n/a           | n/a            | Primers, Med to High Viscosity, Woodwork, Metal, Plastic |
|                      |             |                     |     |     | Air Inlet 1/4" Fluid Inlet 3/8" |               |                |  |
| <b>W101 Siphon</b>   |             |                     |     |     |                                 |               |                |  |
| W101-101S            | 1.0         | 4.7                 | 35  | 2.6 | 4420B                           | 4421B         | 4422B          | Top Coat, Woodwork, Metal, Plastic                       |
| W101-132S            | 1.3         | 6.3                 | 35  | 7.9 | 4430B                           | 4431B         | 4432B          | Top Coat, Woodwork, Metal, Plastic                       |
| W101-134S            | 1.3         | 8.1                 | 28  | 7.4 | 4580B                           | 4581B         | 4582B          | Top Coat, Woodwork, Metal, Plastic                       |
| W101-152S            | 1.5         | 6.9                 | 35  | 7.9 | 4440B                           | 4441B         | 4442B          | Sealers, Med to High Viscosity, Woodwork, Metal, Plastic |
| W101-181S            | 1.8         | 6.7                 | 35  | 5.3 | 4445B                           | 4446B         | 4447B          | Primers, Med to High Viscosity, Woodwork, Metal, Plastic |
|                      |             |                     |     |     | Air Inlet 1/4" Fluid Inlet 1/4" |               |                |  |

## PRESSURE POT

The PC18D 2 Quart Pressure Pot is versatile and mobile. This pressure pot may be used with any of our pressure fed spray guns.

| Model                                     | Part # |
|---|--------|
| PC18D Pressure Pot                        | 6003B  |
| <b>Air / Fluid Hoses</b>                  |        |
| 6f Air Hose w/ends 1/4 x1/4               | 8000   |
| 6f Fluid Hose w/ends 3/8 x3/8             | 8007   |
| Optional 6f Fluid Hose w/ends 1/4 x3/8    | 8044   |
| Air Inlet / Outlet 1/4" Fluid Outlet 3/8" |        |

Air / fluid hose optional lengths not shown.  
GUN NOT INCLUDED.



# Specialty



PC4S #6008  
400ml Aluminum Cup



PCG6P2 #6011  
600ml Plastic Cup



PC61 #6010  
130ml SST Cup



PC5 #6009  
250ml Aluminum Cup

## LPH101 LVG

High performance compact HVLP spray gun with side mounted gravity cup and low air consumption.

| Model              | Nozzle Size | Pattern Width (in.) | PSI                 | CFM | Gun Only #  | PCG6P2 #6011 | PC4S #6008                      | Usage  |
|--------------------|-------------|---------------------|---------------------|-----|-------------|--------------|---------------------------------|--|
| LPH101-124LVG      | 1.2         | 7.1                 | 14                  | 7.1 | 5360B       | 5361B        | 5362B                           | Fine Metallics, Spot Repair, Light Industry, Hobby   |
| LPH101-144LVG      | 1.4         | 8.7                 | 14                  | 7.1 | 5370B       | 5371B        | 5372B                           | Base Coat, Clear Coat, Single Stage, Woodwork, Metal |
| LPH101-164LVG      | 1.6         | 8.7                 | 18                  | 8.5 | 5380B       | 5381B        | 5382B                           | Sealer, Woodwork, Metal                              |
| LPH101-184LVG      | 1.8         | 8.7                 | 18                  | 8.5 | 5390B       | 5391B        | 5392B                           | Primers, Med to High Viscosity                       |
| Air Cap Test Gauge |             |                     | Air Cap #LPH101-LV4 |     | Part #2985B |              | Air Inlet 1/4" Fluid Inlet 1/4" |  |



LPH101 shown with #6022  
airbrush bottle adapter kit



## LPH50

A high performance miniature HVLP spray gun with side mounted cup. Superior atomization with low air consumption.

| Model   | Nozzle Size | Pattern Width (in.) | PSI                          | CFM | Gun Only #         | PC5 #6009 | PC61 #6010                               | Usage   |
|---|-------------|---------------------|------------------------------|-----|--------------------|-----------|--|---|
| LPH50-042G  | 0.4         | 1.6                 | 13                           | 1.8 | 5261               | 5271      | 5272                                     | Spot Repair, Graphics, Woodwork, Hobby (Touch-ups, Shading) |
| LPH50-062G  | 0.6         | 2.4                 | 13                           | 1.8 | 5262               | 5273      | 5274                                     | Spot Repair, Graphics, Woodwork, Hobby (Touch-ups, Shading) |
| LPH50-102G  | 1.0         | 3.9                 | 13                           | 1.8 | 5263               | 5275      | 5276                                     | Spot Repair, Graphics, Woodwork, Hobby (Touch-ups, Shading) |
| Air Cap Test Gauge                                  |             |                     | Air Cap #LPH50-E2            |     | Part #2981         |           | Air Inlet 1/4" Fluid Inlet 1/4"          |   |
| Airbrush Bottle Adapter Kit with Three 2oz. Bottles |             |                     | Airbrush Bottle Adapter Only |     | Repair Service Kit |           | Part #6022<br>Part #6022-1<br>Part #2860 |   |

## LPH80

LPH80 HVLP miniature center post spray gun is ideal for large backgrounds, spot repair, blending, shading and touch-up. Spray patterns ranging from 1.6 inch round pattern to a full 5.5 inch fan pattern.

| Model                | Nozzle Size        | Pattern Width (in.) | PSI               | CFM | Gun Only # | PCG2D-1 #6036D | Usage  |
|----------------------|--------------------|---------------------|-------------------|-----|------------|----------------|--|
| LPH80-042G           | 0.4                | 1.6                 | 13                | 1.8 | 4900       | 4901           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| LPH80-062G           | 0.6                | 2.4                 | 13                | 1.8 | 4905       | 4906           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| LPH80-082G           | 0.8                | 3.2                 | 13                | 1.8 | 4910       | 4911           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| LPH80-102G           | 1.0                | 3.9                 | 13                | 1.8 | 4915       | 4916           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| LPH80-122G           | 1.2                | 4.7                 | 13                | 1.8 | 4920       | 4921           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| <b>Large Pattern</b> |                    |                     |                   |     |            |                |  |
| LPH80-104G           | 1.0                | 5.1                 | 14                | 2.1 | 4925       | 4926           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| LPH80-124G           | 1.2                | 5.5                 | 14                | 2.1 | 4930       | 4931           | Spot Repair, Graphics, Woodwork Hobby (Touch-ups, Shading) |
| Air Inlet: 1/4"      |                    |                     | Fluid Inlet: 3/8" |     |            |                |  |
| LPH50                | Air Cap Test Gauge | Air Cap #LPH50-E2   | Part #2981        |     |            |                |  |
| LPH80                | Air Cap Test Gauge | Air Cap #LPH80-E4   | Part #2982        |     |            |                |  |



PCG2D-1 #6036D  
150ml Aluminum  
SST Fluid Joint



Optional #9169  
2oz. Plastic  
SST Fluid Joint



## W101G

The W101G is a versatile spray gun with a side mounted cup and high transfer efficiency.

| Model          | Nozzle Size | Pattern Width (in.) | PSI              | CFM | Gun Only # | PC4S #6008 | PC5 #6009 | Usage   |
|----------------|-------------|---------------------|------------------|-----|------------|------------|-----------|---|
| W101-101G      | 1.0         | 5.1                 | 35               | 2.6 | 4450B      | 4451B      | 4452B     | Touch-up, Spot Repair, Woodwork, Metal, Plastic       |
| W101-132G      | 1.3         | 6.9                 | 35               | 7.9 | 4560B      | 4561B      | 4562B     | Fine Metallics, Spot Repair, Woodwork, Metal, Plastic |
| W101-134G      | 1.3         | 8.1                 | 28               | 7.4 | 4585B      | 4586B      | 4587B     | Base Coat, Med Viscosity, Woodwork, Metal, Plastic    |
| W101-152G      | 1.5         | 7.5                 | 35               | 7.9 | 4570B      | 4571B      | 4572B     | Base Coat, Clear Coat, Woodwork, Metal, Plastic       |
| W101-181G      | 1.8         | 7.5                 | 35               | 5.3 | 4575B      | 4576B      | 4577B     | Primers, Sealers, Woodwork, Metal, Plastic            |
| Air Inlet 1/4" |             |                     | Fluid Inlet 1/4" |     |            |            |           |   |

PC5 #6009  
250ml Aluminum Cup



PC4S #6008  
400ml Aluminum Cup



## RG3L

A round pattern spray gun for touch-up and airbrushing.



| Model                                      | Nozzle Size | Pattern Width (in.) | PSI | CFM | Gun Only # | PC61 #6010 | PC5 #6009 | Note                |
|--|-------------|---------------------|-----|-----|------------|------------|-----------|---------------------|
| RG3L-1                                     | 0.4         | 1.0                 | 36  | 1.1 | 2805       | 2862       | 2861      |                     |
| RG3L-2                                     | 0.6         | 1.4                 | 36  | 1.1 | 2806       | 2864       | 2863      |                     |
| RG3L-3                                     | 1.0         | 1.4                 | 36  | 1.8 | 2807       | 2866       | 2865      |                     |
| RG3L-11                                    | 0.4         | 1.0                 | 36  | 1.1 | 2808       | 2868       | 2867      | With Air Adjust Set |
| RG3L-12                                    | 0.6         | 1.4                 | 36  | 1.1 | 2809       | 2870       | 2869      | With Air Adjust Set |
| RG3L-13                                    | 1.0         | 1.4                 | 36  | 1.8 | 2810       | 2872       | 2871      | With Air Adjust Set |
| Air Inlet 1/4" Fluid Inlet 1/4"            |             |                     |     |     |            |            |           |                     |
| Airhub Bttle Adpater K with Three 20Bttles |             |                     |     |     |            | R 0022     |           |                     |
| Airhub Bttle Adpater Oly                   |             |                     |     |     |            | R 0022-1   |           |                     |
| Apir Serie K                               |             |                     |     |     |            | R 2860     |           |                     |



## W101A

A specialty gun with an air driven agitated cup used for pearls, metallic and other specialty coatings that rapidly settle

| Model                | Nozzle Size | Pattern Width (in.) | PSI              | CFM | Complete Kit         |
|----------------------|-------------|---------------------|------------------|-----|----------------------|
| <b>W101A Gravity</b> |             |                     |                  |     |                      |
| W101A-104G           | 1.0         | 6.5                 | 21-29            | 6.4 | 4590B with 400ml Cup |
| W101A-134G           | 1.3         | 7.1                 | 21-29            | 6.4 | 4588B with 400ml Cup |
| <b>W101A Siphon</b>  |             |                     |                  |     |                      |
| W101A-134S           | 1.3         | 6.7                 | 21-29            | 6.4 | 4589B with 600ml Cup |
| Air Inlet 1/4"       |             |                     | Fluid Inlet 1/4" |     |                      |



## Spray Gun Lubricant

(10 pcs/pck)  
Part #8511



## 5650 Century Series Repair Service Kit



## 8018 Regulator

Compact regulator with gauge.



## Century Gun Color Identification Caps

Part #93710530



## ADG-1 Aqua Dry Waterborne Paint Dryer Gun Only (Part #7023) Stand With 2 Guns (Part #7031)

Designed for flash acceleration of waterborne basecoat. Includes air shut-off valve. Two extendable arms have rotational adjustment for directing air in various positions and the guns can be disconnected form stand for independent use. With two adjustment points a butterfly valve at the air inlet and a 6:1 air volume adjustment ratio on the outlet gun nozzle.



## MK-5 Professional Spray Gun Maintenance Kit

The ideal accessory to ensure your spray gun maintains peak performance. Includes: Aircap cleaning pins & holder, large bottle brush, end brush and holder, five assorted detail bottle brushes down to 3/32", body brush.  
Part #2950



## 8130 AK-1B Air Flow Control Valve

Exclusive "swing & swivel" design for improved handling of bulky air hose. Simple air adjusting knob design ensures durability with precise air inlet pressure adjusting.